

Humidity Setting Guide

Humidity can make therapy a more natural and comfortable experience for your patients. If used with a ThermoSmart™ Heated Breathing Tube*, the F&P SleepStyle™ CPAP will provide heated humidification to keep humidity levels constant throughout the night.†

If your patient complains of any symptoms outlined below, adjust the humidity by following this guide.

Patient Symptoms	
<ul style="list-style-type: none"> • CPAP air too cold • Dry nose, throat or mouth • Scratchy, sore throat or hoarse voice in the morning • The pressure at the mask is too intense • Runny or congested nose 	<ul style="list-style-type: none"> • CPAP air too hot • CPAP air too wet or humid • The air feels stuffy or smothering • Water in the CPAP breathing tube • Water on your face in the morning
<p>If the patient is complaining of any of the above symptoms, instruct the patient to increase (Up ▲) the Humidity setting until the symptoms are resolved.</p>	<p>If the patient is complaining of any of the above symptoms, instruct the patient to decrease (Down ▼) the Humidity setting until the symptoms are resolved.</p>


Follow These Steps to Adjust the Humidity Settings of the F&P Sleepstyle CPAP

The humidity level of the F&P SleepStyle CPAP can be set to 0 (Off) or between 1 and 7 (On). The SleepStyle CPAP has a default humidity setting of 5. To use humidity, the water chamber has to be filled with water.‡

To adjust humidity at any time:

1. Press **Down ▼** or **Up ▲** to scroll to the "Humidity" setting.
2. Press **OK ✓** to select "Humidity".
3. Press **Down ▼** or **Up ▲** to change the level of humidity.
4. Press **OK ✓** to accept the change.



If a ThermoSmart Heated Breathing Tube* is connected to the device, the ThermoSmart icon  will appear on the **Patient Menu** home screen:



Note: If using without a water chamber, or where low power consumption is required, inform the patient to set the humidity level to 0 (Off).

* Not available in all models. A ThermoSmart Heated Breathing Tube is required to activate ThermoSmart.

† Subject to the operating conditions specified in the SleepStyle Use & Care Guide.

‡ We recommend the use of distilled water.

Warning

To avoid burns: Do not fill the water chamber with hot water as this may lead to airway burns.

SleepStyle and ThermoSmart are trademarks of Fisher & Paykel Healthcare Limited. For patent information see www.fphcare.com/ip.

Freedom in simplicity Powered by technology

- ✔ Easy-access chamber
- ✔ User-friendly menu
- ✔ Large, responsive buttons
- ✔ World-class auto algorithm
- ✔ Full range of comfort technologies
- ✔ Quiet, integrated design
- ✔ Built-in connectivity options



Manufacturer  Fisher & Paykel Healthcare Ltd, 15 Maurice Paykel Place, East Tamaki, Auckland 2013, PO Box 14 348, Panmure, Auckland 1741, New Zealand
 Tel: +64 9 574 0100 Fax: +64 9 574 0158 Email: info@fphcare.co.nz Web: www.fphcare.com **Australia** (Sponsor) Fisher & Paykel Healthcare Pty Ltd, 19-31 King Street, Nunawading, Melbourne, Victoria 3131. Tel: +61 3 9871 4900 Fax: +61 3 9871 4998 **Austria** Tel: 0800 29 31 23 Fax: 0800 29 31 22 **Benelux** Tel: +31 40 216 3555 Fax: +31 40 216 3554 **Brazil** Fisher & Paykel do Brasil, Rua Sampaio Viana, 277 cj 21, Paraisópolis, 04004-000, São Paulo - SP, Brazil Tel: +55 11 2548 8002 **China** 代理人/售后服务机构:费雪派克医疗保健(广州)有限公司, 广州高新技术产业开发区科学城科丰路31号G12栋301号 电话: +86 20 32053486 传真: +86 20 32052132 **Finland** Tel: +358 (0)405 406618 Fax: +46 (0)8 36 6310 **France** Tel: +33 1 6446 5201 Fax: +33 1 6446 5221 **Germany** Tel: +49 7181 98599 0 Fax: +49 7181 98599 66 **India** Tel: +91 80 4284 4000 Fax: +91 80 4123 6044 **Irish Republic** Tel: 1800 409 011 **Italy** Tel: +39 06 7839 2939 Fax: +39 06 7814 7709 **Japan** Tel: +81 3 5117 7110 Fax: +81 3 5117 7115 **Korea** Tel: +82 2 6205 6900 Fax: +82 2 6309 6901 **Northern Ireland** Tel: 0800 132 189 **Russia** Tel and Fax: +7 495 782 21 50 **Spain** Tel: +34 902 013 346 Fax: +34 902 013 379 **Sweden** Tel: +46 8 564 76 680 Fax: +46 8 36 63 10 **Switzerland** Tel: 0800 83 47 63 Fax: 0800 83 47 54 **Taiwan** Tel: +886 2 8751 1739 Fax: +886 2 8751 5625 **Turkey** Fisher Paykel Sağlık Ürünleri Ticaret Limited Şirketi, Alinteri Bulvarı 1161/1 Sokak No. 12-14, P.O. Box 06371 Ostim, Ankara, Turkey Tel: +90 312 354 34 12 Fax: +90 312 354 31 01 **UK**  Fisher & Paykel Healthcare Ltd, Unit 16, Cordwallis Park, Clivemont Road, Maidenhead, Berkshire SL6 7BU, UK Tel: +44 1628 626 136 Fax: +44 1628 626 146 **USA/Canada** Tel: 1800 446 3908 or +1 949 453 4000 Fax: +1 949 453 4001